



 **Teragren**®

THE AUTHORITY
IN BAMBOO

FLOORING • ACCESSORIES • WORKTOPS



PORTFOLIO COLORS New Country


Characteristics of Teragren Bamboo

Teragren bamboo is a natural product. Just like exotic hardwoods and other wood flooring, our bamboo products exhibit color variation between boards that is a direct result of natural color variation within the bamboo culms. As a result, no two planks are exactly the same.


The natural inherent color variation and subtle tones of Teragren products can be viewed as a design advantage, where installers can deliberately arrange specific boards in each floor to create a beautiful design statement that embraces the character of the hardwood flooring. Alternatively, to play down the color variation, floors should be racked prior to installation so that color can be distributed evenly throughout the finished floor—resulting in a more consistent look.




COORDINATING ACCESSORIES




Base Molding




Base Shoe




T-mold



Stair Tread & Riser



Stair Nosing



Floor Vents

Complete your design with our extensive line of accessories that coordinate with all Teragren bamboo flooring and includes 13 distinct accessories for trim, transition and stair parts for our complete line of flooring. Visit teragren.com/accessories.html for more information.

TERAGREN: SETTING THE BAR FOR PRODUCT PERFORMANCE & DESIGN

Bamboo has been used as a building material worldwide for generations. It offers a tensile strength greater than steel, withstands compression better than concrete, and is more resistant to moisture than hardwoods. These inherent qualities, however, can only be taken advantage of with a proper harvesting and manufacturing process. The quality of the product you receive depends entirely on the care taken by the manufacturer.

With 20 years of experience behind us, Teragren employs both raw material selection techniques and our fine-tuned manufacturing technology to create high-quality bamboo products that are harder and more stable for lasting performance.

"I had many samples of various woods and bamboo and I literally beat the daylight out of each. The Teragren bamboo was just as strong as the Brazilian hardwoods I was looking at, and just as pretty."

– Homeowner, Leah DeAngelis



Finding Your Perfect Floor – 3 Easy Steps

1 Start with Style

Teragren offers 2 different basic designs. Our traditional PureForm™ floors offer a classic “bamboo look”, while our Xcora™ strand bamboo floors feature a hardwood look-alike grain pattern. Review the specific colors available within each of these Product Families and decide what is going to work best for your design needs.

2 Practical Considerations

Teragren flooring, just like any hardwood flooring, comes in both a solid and an engineered platform. One of these platforms may be a better fit for you depending on factors such as geographical location, type of sub-floor and whether or not the floor needs to work in the basement. Another important practical consideration is how you plan to install the floor. Flooring can be installed by nailing, stapling, gluing or floating, but not all options work with all floors. Best practice is to consult your contractor or flooring installer on what the needs are for your particular project. Once you know what you need, you can make an educated selection.

3 Fall In Love

Now comes the best part. Once you have landed on a basic look and narrowed your options down based on practical considerations, all that’s left is to find a floor that you love. Color is important of course, but there are also various textures available, different lengths and widths to choose from, and unique finishes for different lifestyles. Go ahead and explore your options, we know you’re going to find that perfect fit.

XCORA®

The hardest hardwood – Teragren’s revolutionary Xcora strand bamboo flooring is 160% harder than oak. These floors offer hardness, durability and stability that are perfect for high-traffic areas in both residential and commercial settings.

Portfolio Collection • Synergy® MPL/One • Visions

PUREFORM™

Where it all began—our original style known as the PureForm line is still popular today. At 40% harder than oak, these floors are a great fit for a family or an office.



Craftsman II • Signature Naturals

ENGINEERED

Teragren’s engineered flooring is made of multiple layers of bamboo and/or wood, with a beautiful bamboo wear layer on top featuring either our Xcora or PureForm bamboo. Engineered floors tend to be more dimensionally stable than solid floors—meaning that they expand and contract less.

Studio • Synergy Wide Plank • Vantage II





PORTFOLIO COLORS









SOLID WIDE-PLANK XCORA® FLOORING


160% Harder Than Oak / 94% Biobased Product

PORTFOLIO COLORS Darby Brown

Featuring 6 distinctive styles that include a variety of texture and grain options, a floor from the Portfolio Collection can ground your space, laying the foundation for further design, or be a design statement all on its own. Each floor brings a completely unique look from rustic, to sophisticated, to strikingly modern.



-  Floorscore® Certified
-  Solid
-  Wide Plank
-  Tongue & groove
-  Single long length
-  Nail, glue or float
-  Radiant heat compatible
-  72.44" x 5.43" x 0.47" (12mm)











PORTFOLIO NATURALS

SOLID WIDE-PLANK XCORA® FLOORING

160% Harder Than Oak / 94% Biobased Product

PORTFOLIO NATURALS Wheat

-  Floorscore® Certified
-  Single long length
-  Solid
-  Nail, glue or float
-  Wide Plank
-  Radiant heat compatible
-  Tongue & groove
-  72.44" x 5.43" x 0.47" (12mm)

An all around classic, the natural fiber visual of this floor provides a warm foundation for the design of any space, and the Sculpted finish option features enhanced texturing, for a slightly rustic or aged look. Featuring a tongue and groove profile for flexible installation that offers both residential and commercial versatility.

Color Variation





SYNERGY® WIDE-PLANK

ENGINEERED, WIDE-PLANK XCORA® FLOORING









160% Harder Than Oak / 94% Biobased Product

SYNERGY® WIDE-PLANK Brindle

This dramatic, square-edged wide-plank floor can't help but make a statement. Its clean, crisp lines combine with the hardwood look-alike grain of our Xcora strand bamboo for a bold, upscale look. Additionally, this self-locking floor can be floated over cork or other acoustical suppression underlayments for an enhanced sound barrier.

Color Variation



-  Floorscore® Certified
-  Square edge profile
-  Engineered
-  Float only
-  Wide Plank
-  Radiant heat compatible
-  Self-locking
-  72.05" x 7.68" x 0.55" (14mm)











SYNERGY® MPL Java

SYNERGY® MPL/ONE

SOLID NARROW-WIDTH XCORA® FLOORING


160% Harder Than Oak / 94% Biobased Product

-  Floorscore® Certified
-  Solid
-  Narrow Plank
-  Tongue & groove
-  Multiple precise lengths
-  Nail or glue down
-  Radiant heat compatible
-  24, 36, 48 & 72" x 3.78" x 0.47"(12mm)

With the timeless look of a narrow-plank, this floor is a long standing go-to for those who want the classic appeal of a traditional hardwood floor, but with the increased design sense, durability and environmental pedigree of Teragren bamboo. This best selling collection can serve as a solid foundation for homes, offices and commercial spaces alike.

Color Variation





VANTAGE II

ENGINEERED WIDE-PLANK XCORA® FLOORING

160% Harder Than Oak



The mark of responsible forestry


VANTAGE II Wheat

Treat your feet with the deep texture of a wire-brushed finish, or opt for the almost soft feel of a smooth finish with this high-performance oiled floor. Achieve green building goals with an FSC-certified strand bamboo wear layer over an FSC and CARB II-certified eucalyptus plywood core, while also realizing the increased stability of an engineered construction.

Color Variation



- CA 01350 Indoor Air certified
- High-Performance Oil Finish
- Engineered
- Nail/staple, glue or float
- Wide Plank
- Radiant heat compatible
- Tongue & groove
- 72.83" x 5.59" x 0.55" (14mm)











STUDIO vertical grain Caramelized


STUDIO


ENGINEERED WIDE-PLANK PUREFORM™ FLOORING

40% Harder Than Oak / 99% Biobased Product

-  Floorscore® Certified
-  Square edge profile
-  Engineered
-  Float only
-  Wide Plank
-  Radiant heat compatible
-  Self-locking
-  75" x 7.68" x 0.55" (14mm)

A precision milled square-edge profile outlines the extra-wide plank in this floor for a clean, seamless look. The inherent color variation in the 100% naturally grown bamboo is emphasized between planks, bringing authenticity and character. This self-locking floor can be floated over cork or other acoustical suppression underlayments for an enhanced sound barrier.





CRAFTSMAN II

SOLID LONG & WIDE PLANK PUREFORM™ FLOORING


40% Harder Than Oak / 99% Biobased Product

CRAFTSMAN II flat grain Caramelized

Our classic PureForm™ bamboo in extra long planks for a traditional look with contemporary versatility. The wider, longer planks draw the eye to the horizon, creating an increased sense of space. Featuring a tongue and groove profile for flexible installation, including an option to float this floor in basements.



- Floorscore® Certified
- Single long length
- Solid
- Nail, staple, glue or float
- Wide Plank
- Radiant heat compatible
- Tongue & groove
- 75.59" x 5.43" x 0.59"(15mm)



SIGNATURE NATURALS flat grain Natural

SIGNATURE

SOLID NARROW-WIDTH PUREFORM™ FLOORING

40% Harder Than Oak / 99% Biobased Product

- Floorscore® Certified
- Solid
- Narrow Plank
- Tongue & groove
- Multiple precise lengths
- Nail, staple or glue
- Radiant heat compatible
- 24, 36, 48 & 72.44" x 3.62" x 0.59" (15mm)

The slim, narrow-plank of this floor, coupled with the linear look inherent to our traditional PureForm™ designs creates a zen look authentic to bamboo's Asian roots. This classic bamboo look works well on walls as well as on the floor, and can be used to create a seamless transition between horizontal and vertical planes.

Color Variation



FLOORING COMPARISON CHART

PRODUCT	TERAGREN XCORA® STRAND BAMBOO			
	Portfolio Colors	Portfolio Naturals	Synergy® Wide Plank	Synergy® MPL/One
Hardness Rating	160% Harder Than Oak			
Nominal Dimensions (LxWxD")	72.44" x 5.43" x 0.47"	72.44" x 5.43" x 0.47"	72.05" x 7.68" x 0.55"	24, 36, 48 & 72" x 3.78" x 0.47"
mm Profile*	12 mm	12 mm	14 mm	12 mm
Construction	Solid	Solid	Engineered	Solid
Width	Wide Plank	Wide Plank	Extra Wide Plank	Narrow Plank
Length	Single Long-Length	Single Long-Length	Single Long-Length	Multiple Precise Lengths
Milling	Micro-bevel	Micro-bevel	Square-edge	Micro-bevel
Profile	Tongue + Groove	Tongue + Groove	Self-locking	Tongue + Groove
Color Variation	Moderate	Moderate	Moderate	Moderate
Square Feet per Box	21.87	21.87	23.05	22.69
USDA BioPreferred	✓	✓	✓	✓
Indoor Air Quality Rating	Floorscore	Floorscore	Floorscore	Floorscore
FSC® Certified				
LEED® IEQ 4.3 Low Emitting Materials	✓	✓	✓	✓
LEED® MR6 Rapidly Renewable Resource	✓	✓	✓	✓
LEED® MR7 Certified Wood				
CA High Performance Schools EQ2.2.3	✓	✓	✓	✓
Coordinating Accessories	Full Line of Coordinating Stair Parts & Accessories			
Warranty	25-year Residential & 10-year Commercial Finish Warranty; Lifetime Structural Warranty			
Float - On/Above or Below grade	✓	✓		
Nail - On/Above grade	✓	✓	✓	✓
Staple - On/Above grade				
Glue - On/Above grade	✓	✓		✓
NOTE: Recommended Adhesive - Premium Bamboo Flooring Adhesive				
Underlayment	A, B, C	A, B, C	A	B, C
Nailing Guidelines	A	A	Not Applicable	B
Radiant Floor Compliant	Can be installed over radiant heat			
Acclimation	Minimum of 48 hours on-site in box			
Site RH	Install into environments having 35-55% Relative Humidity			
Maintenance	BonaKemi Pro Series Hardwood Floor Cleaner or equal			

Underlayment:

A - Float: Vapor barrier with pad over cement subfloor, vapor retarder with pad over wood subfloor
 B - Nail/Staple: Vapor retarder over wood subfloor
 C - Glue: Vapor barrier over cement subfloor, vapor retarder over wood subfloor

Nailing Guidelines:

A - 18 gauge cleat 1½" - 2"
 B - 18 gauge cleat 1¼" - 1½"
 C - 18 gauge cleat or narrow crown staple 1¼" to 1½"
 D - 15-16 gauge cleat or staple 1½" - 2"

	TERAGREN PUREFORM™ BAMBOO			
Vantage II	Studio	Craftsman II	Signature Collection	Elements
40% Harder Than Oak				
72.83" x 5.59" x 0.55"	75" x 7.68" x 0.55"	75.59" x 5.43" x 0.59"	24, 36, 48 & 72.44" x 3.62" x 0.59"	36.22" x 3.62" x 0.59"
14 mm	14 mm	15 mm	15 mm	15 mm
Engineered	Engineered	Solid	Solid	Solid
Wide Plank	Extra Wide Plank	Wide Plank	Narrow Plank	Narrow Plank
Single Long-Length	Single Long-Length	Extra Long-Length	Multiple Precise Lengths	3 Foot Lengths
Eased-edge	Square-edge	Micro-bevel	Micro-bevel	Micro-bevel
Tongue + Groove	Self-locking	Tongue + Groove	Tongue + Groove	Tongue + Groove
Moderate	Most	Moderate	Moderate	Most
28.28	23.99	28.52	21.86	18.22
	✓	✓	✓	✓
CA 01350	Floorscore	Floorscore	Floorscore	Floorscore
✓	**	**	**	**
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
✓	**	**	**	**
✓	✓	✓	✓	✓
Full Line of Coordinating Stair Parts & Accessories				
Lifetime structural warranty, Limited Lifetime Residential and Commercial Finish Warranty	25-year Residential & 10-year Commercial Finish Warranty; Lifetime Structural Warranty			
✓	✓	✓		
✓		✓	✓	✓
✓		✓	✓	✓
✓		✓	✓	✓
NOTE: Recommended Adhesive - Premium Bamboo Flooring Adhesive				
A, B, C	A	A	B, C	B, C
C	Not Applicable	Not Applicable	D	D
Can be installed over radiant heat				
Minimum of 48 hours on-site in box				
Install into environments having 35-55% Relative Humidity				
Woca Oil Finishes www.wocadirect.com	BonaKemi Pro Series Hardwood Floor Cleaner or equal			

*Determines coordinating accessories

** Available by special order (minimum quantities apply)

Complete acclimation and installation instructions are available at
www.teragren.com/downloads.html

PANELS + VENEER

Teragren's complete line of architectural grade panels and veneer provide a beautiful option for custom-made cabinetry and furniture to coordinate with, or compliment, your new Teragren floor.

Our panel products come in two styles:

PureForm™ Traditional panels feature either a vertical or horizontal grain that highlights the natural bamboo knuckles and gives a clean, zen look that easily transitions to modern.

Xcora® Strand panels feature a hardwood look-alike grain, but are much harder and more durable than comparable hardwood products. These panels fit seamlessly into any application where Cherry, Walnut or Oak might be considered, and also boast Teragren's superior environmental pedigree.

Panels are available in a range of sizes up to ¾" thick.

All panels come unfinished, and can be finished to your liking. Standard woodworking stains and dyes can be used.

For more information, visit us online at www.teragren.com.





WORKTOPS

A beautiful and sustainable alternative to standard butcher block, the countertop collection from Teragren presents six stunning styles from traditional to contemporary.

All countertops come in 1.5" thick slabs and can be milled using standard woodworking tools to fit the dimensions of your island or countertop. You can also use these tops as tables (just add legs!) or shelving. All tops should be finished on the top, bottom and edges prior to final use with a standard oil, wax or polyurethane finish.

Both the Butcher Block and PureForm Traditional styles are food-safe and can be used directly as a cutting surface. If you choose to cut directly on the counters, it is best to select either an oil or a wax finish, as a polyurethane finish could shatter under pressure from the knife blade. Both oil and wax finishes need to be maintained and freshened on an ongoing basis. About twice a year, or when your top starts looking dull, reapply the finish to all sides.

Our Xcora Strand tops are most commonly used as table tops, and in conjunction with a durable polyurethane finish can make an excellent surface for both work and play.

For more information, visit us online at www.teragren.com

Parquet Butcher Block

Natural or Caramelized


- Ideal for cutting surfaces and food prep areas
- Durable, end-grain parquet – harder than maple
- Comes unfinished, fabrication and finishing needed to suit. Standard hardwood finishing guidelines apply

30" x 96" x 1½"

36" x 72" x 1½"



Natural



Caramelized

PureForm™ Bamboo Worktop

Vertical Grain Caramelized face with Chestnut strand bamboo core or Vertical Grain Natural face with Wheat strand bamboo core

- Ideal for cutting surfaces and food prep areas
- Durable, edge-grain design – harder than maple
- Comes unfinished, fabrication and finishing needed to suit. Standard hardwood finishing guidelines apply

30" x 96" x 1½"

36" x 72" x 1½"



Natural



Caramelized

Xcora® Bamboo Worktop


Chestnut or Wheat strand bamboo face with Vertical Grain Caramelized core

- Solid-surface design ideal for kitchen counters, islands, table tops or other furniture applications
- Comes unfinished, fabrication and finishing needed to suit. Standard hardwood finishing guidelines apply


36" x 72" x 1½"



Wheat



Chestnut



The Teragren Difference

Unlike many bamboo suppliers, Teragren develops and manufactures all our own bamboo products. We directly control manufacturing—and product quality—from harvest to distribution, guaranteed since 1994. We support our fine bamboo products with unparalleled customer service.

A-T-MK-CATALOG-FLR15 09/15



12715 Miller Road NE
Suite 301
Bainbridge Island, WA 98110

800.929.6333 toll-free
206.842.9477 tel
206.842.9456 fax

Teragren, the Teragren logo and Optimum 5.5® are registered trademarks of Teragren LLC. © 2015 Teragren LLC. All rights reserved.

teragren.com



Printed on FSC-certified paper
with vegetable-based inks